779 Cluster Authorization Basis Management Project

**Project Correspondence** 

Subject: Waiver Request 779-98-001

Date: March 12, 1998

To: Julia Hamrick

R.D. Cronin cc:

R.Dickey

D.G. Satterwhite

K.D. Trice

S. Walker-Lembke

779 Tech Support AR/File

NSTR Project/File

Obvale 3/12/98 Phone: X2601

From: Donna Busche


The Nuclear Safety Manual (1MAN-018-NSM) requires the Principal subcontractor to provide technical justification for deviations from the format for Technical Safety Requirements specified in DOE Order 5480.22, Technical Safety Requirements, Attachment 1, Guidelines for Technical Safety Requirements.

Safe Sites of Colorado, L.L.C., and Rocky Mountain Remediation Services, L.L.C. are jointly managing the 779 Closure Project. The safety basis for the closure project modified the format requirements of the control set. Waiver Request 779-98-001 documents the applicable Kaiser-Hill and U.S. Department of Energy requirements, the scope of the format deviation, and the technical justification. Responsible organizations have reviewed and approved the waiver request.

The waiver request is attached for incorporation into the Administrative Record for the 779 Closure Project.

Please give me a call if you have any questions.





	Controlled	Document	Waiver Red	quest	
Date Prepared		Tracking Number:			
March 5, 1998		779-98-001			
Affected Document Number	Revision		Title		
1-MAN-018-NSM		0		Nuclear Safety Manual	
Waiver Type:	Effective From:	fective From:		To:	
☐ Temporary ■ Permanent	February 12, 1	998	Remainin	Remaining life cycle of the facility	
Site Requirements Being Waived					
Section 4.3, Technical Safety	Requirements, 4	.3.3, Approac	ch, Third Parag	graph	
with Attachment of 1 different TSR format	of DOE Order and content is a defend before sation, use of diff	r 5480.22, S dequate. The DOE, with the ferent TSR fo	HALL provide e K-H Nuclear e assistance armats and con	aring TSRs <u>not</u> in conformance technical justification why a Engineering organization may of the Principal Subcontractor tents.	
DOE Order 5480.22, Technica Requirements, Section 1, Intro	al Safety Require	ements, Attac	·	elines for Technical Safety	
In the interest of unifo	ormity, contracto	ors are encou		w the format presented in this at different from that presented	
Initiating/Requesting Principal St	ibcontractor				
Safe Sites of Colorado, L.L.C					
Requesting Principal Subcontract	or Point-of-Conta	et	Phone	Pager	
Julia Hamrick, Technical Support Manager			X6812	212-4697	
Organization Responsible for Aff	ected Document				
K-H Nuclear Engineering		•			
Responsible Organization Interpr	etive Authority				

K-H Nuclear Engineering

### Controlled Document Waiver Request (continued)

### Brief Description of Affected Documents and Impact (if applicable)

The 779 Closure Project has developed a safety analysis for Baseline and Decommissioning Activities. The safety analysis is documented in a Nuclear Safety Technical Report, NSTR-002-98, and is entitled 779 Cluster Decommissioning Safety Analysis. Appendix A of the safety analysis document defines the conditions, safe boundaries and the administrative controls necessary to protect the health and safety of the public and reduce the risk to workers from uncontrolled releases of radioactive material or from radiation exposure due to inadvertent nuclear criticality.

Appendix B, 779 Cluster Decommissioning Control Set, used DOE Order 5480.22, Technical Safety Requirements as guidance in the selection and documentation of controls. Appendix B deviates from the FORMAT requirements of DOE Order 5480.22, Attachment 1, Guidelines for Technical Safety Requirements. Attachment 1 to this waiver request identifies the format encouraged by DOE Order 5480.22. Attachment 2 to this waiver request identifies the format used in the development of the 779 Cluster Decommissioning Control Set.

Appendix B meets the intent of CONTENT requirements and guidance specified in DOE Order 5480.22, Technical Safety Requirements.

Two changes from the encouraged format were used:

- 1. The BASES for each Limiting Condition for Operation and Surveillance Requirement was provided immediately following section 3/4 and
- 2. The DESIGN FEATURES section was moved from an Appendix to the TSRs to a section of the TSRs.

The first change was used to facilitate implementation and understanding with the personnel responsible for implementing the control set. The second change eliminates confusion in the two format requirements (i.e., 5480.22 and NSTR format guidance). The second change simply eliminates an Appendix..

#### Justification:

There are no programmatic or safety impacts resulting from the modified format. Waiver is requested to obtain relief from a Site Nuclear Safety programmatic requirement to implement the TSR format guidelines established in DOE Order 5480.22, Attachment 1. This waiver provides documentation of the format changes and information necessary for K-H to track and monitor Principal Subcontractor adherence to the *Nuclear Safety Manual* for Building 779.

Approv	vals	
Originator	^ ^	
D. M. Busche, 779 AB Support Team Lead, CAI	OMBroche	3/5/98
Originator's Manager		
J. C. Hamrick, 779 Technical Support Manager, SSOC	Of All D	315198
Organization		-1/20
K. D. Trice, Deputy Project Manager, RMRS	1 Lui	3/5/98
Concurred By:		11
D. G. Satterwhite, Manager, Operational Nuclear Safety,	SSOC Sollator	J 3/11/98
Approved By:		. //
R. D. Cronin, Manager, Nuclear and Criticality Engineeri	ng, K-H 6/96/ &	om 3/5/98
		/ /

## Controlled Document Waiver Request (continued)

Other Approvals (as Required)

Approved By:

**RFFO** 

N/A

NOTE: Requirement is not a mandatory requirement from DOE Order 5480.22, Technical Safety Requirements. U.S. Department of Energy approval of safety analysis for the 779 Closure Project is adequate to document acceptance of the alternate format.

Approved By:

DOE-HQ

N/A

## **5480.22** Recommended Format *Table of Contents*

1	USE AND APPLICATION
1.1	Definitions
1.2	Logical Connectors
1.3	Frequency Notation
2	SAFETY LIMITS AND LIMITING CONTROL SETTINGS
2.0	Safety Limits or Limiting Control Settings for the 779 CLUSTER
3/4	OPERATING LIMITS AND SURVEILLANCE REQUIREMENTS AND BASES
3.0	General Application of Limiting Conditions for Operation
4.0	General Application of Surveillance Requirements
3.1/4.1	First LCO
3.2/4.2	Second LCO
3.3/4.3	Criticality Detection System
5	ADMINISTRATIVE CONTROLS

APPENDIX A BASES

APPENDIX B DESIGN FEATURES

# 779 Cluster Decommissioning Control Set *Table of Contents*

1	USE AND APPLICATION	A-1			
1.1	Definitions	A-1			
1.2	Logical Connectors				
1.3	Frequency Notation	A-9			
1.4	Safety Basis Compliance				
2	SAFETY LIMITS AND LIMITING CONTROL SETTINGS	A-11			
2.0	Safety Limits or Limiting Control Settings for the 779 CLUSTER	A-11			
3/4	OPERATING LIMITS AND SURVEILLANCE REQUIREMENTS AND BASESA-13				
3.0	General Application of Limiting Conditions for Operation	A-13			
4.0	General Application of Surveillance Requirements	A-16			
3.1/4.1	Ventilation Exhaust Filtration				
3.2/4.2	Sprinkler System				
3.3/4.3	Criticality Detection System	A-42			
5	ADMINISTRATIVE CONTROLS	A-53			
5.0	General Application	A-53			
5.1	Organization and Management	A-54			
5.2	Ventilation/Confinement Control	A-57			
5.3	Inventory Control and Material Management				
5.4	Criticality Safety	A-63			
5.5	Criticality Accident Alarm System and Notification				
5.6	Fire Protection	A-66			
5.7	Radiation Protection	A-68			
5.8	Work Control				
5.9	Maintenance and Surveillance				
6	DESIGN FEATURES	A-71			
7	REFERENCES	Δ-73			